


張ブロック

● 形状・寸法




● 寸法・質量

| 呼び名 | 寸法 (mm) | | | | | 参考質量 (kg) |
|----------------|---------|-----|-----|-----|----|-----------|
| | t | a | b | c | d | |
| T 10 (180~200) | 100 | 495 | 495 | 285 | 65 | 45.5 |
| T 12 (221~240) | 120 | 495 | 495 | 245 | 80 | 56.0 |

用地境界杭


● 形状・配筋・及び質量



参考質量41kg/本

鉄筋コンクリートため桝

● 形状・配筋





● 寸法・配筋


| 呼び名 | 寸 法 (mm) | | | 鉄 筋 | | 参考質量 (kg) |
|-----|----------|----|-----|-----|----|-----------|
| | A | E | H | 径 | 本数 | |
| 300 | 300 | 40 | 300 | 3.2 | 2 | 37 |
| 350 | 350 | 40 | 300 | 3.2 | 2 | 49 |
| 400 | 400 | 45 | 300 | 3.2 | 2 | 55 |
| 450 | 450 | 45 | 300 | 3.2 | 2 | 61 |
| 500 | 500 | 50 | 300 | 4.0 | 2 | 75 |
| 600 | 600 | 50 | 300 | 4.0 | 2 | 89 |




PC-L型擁壁(砂質土)




| 呼び名 | 寸法 (mm) | | | | | | | 参考質量 (kg) |
|--------|---------|------|-----|-----|----------------|----------------|----------------|-----------|
| | H | B | T | t | t ₁ | h ₁ | b ₁ | |
| H-1000 | 1000 | 900 | 100 | 125 | 100 | — | — | 720 |
| H-1100 | 1100 | 950 | 100 | 125 | 125 | 100 | — | 950 |
| H-1200 | 1200 | 1050 | 100 | 125 | 125 | 200 | 100 | 1,040 |
| H-1300 | 1300 | 1100 | 100 | 125 | 125 | 300 | 150 | 1,110 |
| H-1400 | 1400 | 1150 | 100 | 125 | 125 | 400 | 200 | 1,180 |
| H-1500 | 1500 | 1200 | 100 | 125 | 125 | 500 | 250 | 1,250 |




鍬止めブロック



| 呼び名 | 寸 法 (mm) | | 参考質量 (kg) |
|---------|----------|-----|-----------|
| | H | B | |
| B H 400 | 400 | 270 | 386 |
| B H 500 | 500 | 300 | 518 |
| B H 600 | 600 | 330 | 662 |
| B H 700 | 700 | 360 | 820 |
| B H 800 | 800 | 390 | 992 |




基礎ブロック



● 形状・寸法

| 呼 び 名 | | 寸 法 (mm) | | | | 参考質量 (kg) |
|-------|-----|----------|-----|-----|-----|-----------|
| | | a | b | b' | H | |
| 角穴 | 180 | 180 | 110 | 90 | 450 | 23 |
| | 200 | 200 | 130 | 90 | 450 | 29 |
| | 300 | 300 | 200 | 180 | 400 | 49 |
| | | | | 177 | 450 | 56 |
| | | | | 175 | 500 | 63 |
| | | | | 170 | 600 | 77 |
| 丸穴 | 250 | 250 | 165 | 165 | 450 | 42 |
| | 300 | 300 | | 165 | 300 | 47 |
| | 400 | 400 | 190 | 190 | 400 | 121 |
| | | | | 190 | 500 | 151 |
| | | | | 190 | 600 | 182 |

標識ブロック



● 形状・寸法

| 呼び名 | 寸法 (mm) | | | | 参考質量 (kg) |
|-----|---------|-----|-----|-------|-----------|
| | a | b | b' | H | |
| 500 | 500 | 250 | 220 | 600 | 270 |
| | | 250 | 200 | 900 | 413 |
| | | 240 | 170 | 1,200 | 574 |
| | | 250 | 170 | 1,400 | 663 |

